

In the claims:

1-17. (Canceled)

18. (Currently amended) ~~The system of claim 13, wherein said attachment element includes~~ A system for electrically detecting a lack of saliva in an oral cavity of an individual and for electrically stimulating the oral cavity, so as to induce production of saliva from at least one salivary gland, said system comprising:

- a control device for detecting a measure of salivation in the individual and for delivering electrical impulses to the oral cavity of the individual, said control device includes:
 - a) a hermetically sealed housing fixable within the oral cavity;
 - b) an electrical utility enclosed within said housing for detecting an input signal for detection of said measure of salivation and for generating said electrical impulses, said electrical utility comprising a power source and a signal generator;
 - c) at least one pair of electrodes electrically coupled to said electrical utility, wherein said at least one pair of electrodes provide a contact with a tissue of the oral cavity, and
 - d) an attachment element comprising at least one clasp for attaching said control device to at least one tooth, said at least one clasp including at least one elastic jaw, whereby said at least one clasp fixes onto said at least one tooth by the a pressure of said at least one jaw applied against said at least one tooth;
- a check device for obtaining the data of said measure of salivation and for modifying at least one parameter of said control device, and
- a computer device for exchanging information with said check device.

19. (Original) The system as in claim 18, wherein said at least one jaw has a face, said face having an adhesion modification for increasing fixation of said at least one jaw to said at least one tooth.

20. (Original) The system as in claim 19, wherein said face has a surface area and said adhesion modification increases the surface area of said face.

21. (Original) The system as in claim 19, wherein said adhesion modification includes at least one groove on said face.

22-24 (Canceled)

25. (Currently amended) A system for electrically detecting a lack of saliva in an oral cavity of an individual and for electrically stimulating the oral cavity, so as to induce production of saliva from at least one salivary gland, said system comprising:

- a control device for detecting a measure of salivation in the individual and for delivering electrical impulses to the oral cavity of the individual, said control device having at least one pair of electrodes provide a contact with a tissue of the oral cavity;
- a check device for obtaining the data of said measure of salivation and for modifying at least one parameter of said control device, and
- a computer device for exchanging information with said check device;

~~The system of claim 1~~ wherein said measure of salivation is a relaxation time, said relaxation time being a measure of time required for a voltage difference between said at least one pair of electrodes to reach a predetermined level of an initial value of said voltage difference after a measuring pulse is applied.

26. (Original) The system as in claim 25, wherein said predetermined level is selected from the group consisting of 40% and 50%.

27-42 (Canceled)

43. (Currently amended) A device for electrically detecting a measure of saliva in an oral cavity of an individual and for delivering electrical impulses to the oral cavity of the individual so as to induce production of saliva from at least one salivary gland, said device comprising:

- a hermetically sealed housing fixable within the oral cavity;
- an electrical utility enclosed within said housing for detecting an input signal for detection of the measure of salivation and for generating the electrical impulses, said electrical utility including a power source and a signal generator;
- at least one pair of electrodes electrically coupled to said electrical utility, wherein said at least one pair of electrodes provide a contact with a tissue of the oral cavity, and
- ~~The device of claim 38 wherein said~~ an attachment element includes comprising at least one clasp for attaching said device to at least one tooth, said at least one clasp including at least one elastic jaw, whereby said at least one clasp fixes onto said at least one tooth by the a pressure of said at least one jaw applied against said at least one tooth.

44. (Original) The device as in claim 43, wherein said at least one jaw has a

face, said face having an adhesion modification for increasing fixation of said at least one jaw to said at least one tooth.

45. (Original) The device as in claim 44, wherein said face has a surface area and said adhesion modification increases the surface area of said face.

46. (Original) The device as in claim 44, wherein said adhesion modification includes at least one groove on said face.

47. (Canceled)

48. (Currently amended) A device for electrically detecting a measure of saliva in an oral cavity of an individual and for delivering electrical impulses to the oral cavity of the individual so as to induce production of saliva from at least one salivary gland, said device comprising:

- a hermetically sealed housing fixable within the oral cavity;
- an electrical utility enclosed within said housing for detecting an input signal for detection of the measure of salivation and for generating the electrical impulses, said electrical utility including a power source and a signal generator, and
- at least one pair of electrodes electrically coupled to said electrical utility, wherein said at least one pair of electrodes provide a contact with a tissue of the oral cavity;

~~The device of claim 27,~~ wherein said measure of salivation is a relaxation time, said relaxation time being a measure of time required for a voltage difference between said at least one pair of electrodes to reach a predetermined level of an initial value of said voltage difference after a measuring pulse is applied.

49. (Original) The device as in claim 48, wherein said predetermined level is selected from the group consisting of 40% and 50%.

50-56. (Canceled)

57. (Currently amended) A method for electrical stimulation of salivation comprising the steps of:

- attaching a device for electrically detecting a measure of saliva in an oral cavity of an individual and for delivering electrical impulses to said

oral cavity of said individual so as to induce production of saliva from at least one salivary gland, said device having at least one pair of electrodes, said electrodes being placed against a tissue of said oral cavity;

- detecting an input signal indicative of said measure of moisture within said oral cavity;
- comparing said measure to a moisture limit value, and
- delivering said electrical impulses based on a result of said comparing;

~~The method of claim 52,~~ wherein said measure of salivation is a relaxation time, said relaxation time being a measure of time required for a voltage difference between said at least one pair of electrodes to reach a predetermined level of an initial value of said voltage difference after a measuring pulse is applied.

58. (currently amended) A housing for an intraoral device, the intraoral device being configured so as to be fixable to at least one tooth within an oral cavity of an individual, said housing comprising:

- (a) a body, and
- (b) an attachment element for fixing said body to said at least one tooth;

wherein, said attachment element ~~includes~~ comprises at least one clasp for attaching said body to said at least one tooth, said at least one clasp including at least one elastic jaw, whereby said at least one clasp fixes onto said at least one tooth by the pressure of said at least one jaw against said at least one tooth.

59. (original) The housing as in claim 58, wherein said at least one jaw has a face, said face having an adhesion modification for increasing fixation of said at least one jaw to said at least one tooth.

60. (Original) The housing as in claim 58, wherein said face has a surface area and said adhesion modification increases the surface area of said face.

61. (Original)The housing as in claim 58, wherein said adhesion modification includes at least one groove on said face.